TallyMan V3.0.2.0 Release Notes

Notes:

This update requires a TM1-MK2(+) , TM1-Tally or TM1-Mk3+ system controller to be at least V1.6.04 (system version reported on front panel of TM1-Mk2(+). If the TM1-MK2(+) does not have system version 1.6.04 or higher please contact support@tslproducts.com for assistancein updating the unit.

Version History

Issue	Date	Change Details
1	04/11/20	First Issue
2	30/03/22	V3.0.1.1
3	28/02/23	V3.0.2.0

Version History	1
Introduction	3
TallyMan V3.0.2.0	4
Compatibility	4
New in This Version	4
Platform:	4
Configuration/User interface:	4
Front Panel Interface:	4
Fixes:	4
TallyMan V3.0.1.1	5
Compatibility	5
New in This Version	5
Platform:	5
Configuration/User interface:	5
Front Panel Interface:	5
Fixes	5
Drivers:	5

Introduction

As part of TSL products' ongoing commitment to ensure that TallyMan users remain up to date with developments in the industry we are happy to announce the latest release of the TallyMan Control System. This update is available free of charge.

TallyMan V3.0.2.0

Compatibility

This version of Tallyman is compatible with the following Tallyman system controllers.

TM1-Mk3

TM1-Mk3+

TM1-Mk2

TM1-Mk2+

TM1-Tally

This version of TallyMan is compatible with .tms configuration files create in earlier TallyMan versions.

New in This Version

Platform:

• Platform support for TM1-Mk2, TM-Mk2+, TM1-Mk3, TM1-Mk3+, TM1-Tally

Configuration/User interface:

- Added TM1-Tally to Platform menu.
- Improved IP Address assignment dialogs.

Front Panel Interface:

• Improved usability and layout

Fixes:

- Panasonic Kairos Switcher Driver
- LRC update
- Events Multi-level support for routing events
- SWP-08 Multi-level support
- Ember+ round trip no longer overwrites associations
- Improved handling in Ember+ of empty node tracking
- pioPix driver no longer fails on 0 array size
- General stability improvements
- Improved licencing scheme

TallyMan V3.0.1.1

Compatibility

This version of Tallyman is compatible with the following Tallyman system controllers.

TM1-Mk3

TM1-Mk3+

This version of TallyMan is compatible with .tms configuration files create in earlier TallyMan versions.

New in This Version

Platform:

• Platform support for TM1-Mk3 and TM1-Mk3+

Configuration/User interface:

- Added TM1-Mk3 and TM1-Mk3+ to Platform menu
- Revised IP address assignment via IP Address Table
- Enabled editing multiple SNMP Traps at once in TM

Front Panel Interface:

- Revised Manu
 - Unit Management menu
- Panel Configuration Dialogue

Fixes

System:

- Virtual Re-entries Fix for real routers not confirming xpts
- Virtual Sources: speed update
- TM Src Button panel icon fix
- Fix Tally Channel display in Btn Dialogue
- Fixed displayed index of event objects in item lists in TM

Drivers:

- Quartz
- Single level router where level != 0 fix
- Dummy routers Fixed initialisation of xpt array for dummy router for single level where level is non-zero
- Dummy routers Fixed route command
- Fix SNMP Trap controlling System Tally->tallyState
- NV9000/NP0017 bug fix
- Acuity bug fix
- NP0017 fix
- Oxtel Harmonic interface added Active bus tallies
- Fix USP3 driver GPO control for GPO 8 and above
- GVG Native name grab fix
- SNMP "Use Event Data" bug fix Octet string comparison error
- K360 Name import bug fix
- SNMP Trap Dialogue fixed unreferenced local var
- RtrNvision fix conversion from WORD to DWORD erro